



| ITEM | QTY -041 | P/N | DESCRIPTION |
|------|-------------|---------------|-------------------------|
| | X | D4875-041 | CARGO TUBE BRACKET ASSY |
| 1 | 1 | D4875-1 | CARGO TUBE BLOCK |
| 2 | 2 | D4875-3 | CARGO TUBE BRACKET |
| 3 | 7 | MS20470AD4-15 | RIVET |



D4875-041 CARGO TUBE BRACKET ASSY

- NOTES:
1) MATERIAL: N/A
2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: NONE
7) WEIGHT -041: 1.13 lbs
 -043: 0.20 lbs
 -045: 0.29 lbs


| ITEM | QTY -043 | P/N | DESCRIPTION |
|------|-------------|--------------|----------------------|
| | X | D4875-043 | TUBE STRUT ASSEMBLY |
| 1 | 1 | D4875-5 | CARGO TUBE AFT STRUT |
| 2 | 1 | D2690-5 | LANYARD |
| 3 | 1 | MS17984-C410 | QUICK RELEASE PIN |



D4875-043 TUBE STRUT ASSEMBLY


PRELIMINARY C1
13.08.14 (AJS)

| ITEM | QTY -045 | P/N | DESCRIPTION |
|------|-------------|--------------|----------------------------|
| | X | D4875-045 | FWD ATTACHMENT CLEVIS ASSY |
| 1 | 1 | D4875-7 | FWD ATTACHMENT CLEVIS |
| 2 | 1 | D2690-4 | LANYARD |
| 3 | 1 | MS17984-C412 | QUICK RELEASE PIN |



D4875-045 FWD ATTACHMENT CLEVIS ASSY

| | | | |
|------------|--|--|----------|
| PC1 | ADDED -045. REDESIGN -041 & -3 FOR EASE OF ASSEMBLY AT NEXT ASSEMBLY. SPACING FOR LIGHTENING HOLES IN -5 RETOLERANCED. | AJS | 13.08.14 |
| B | COMPLETE REDESIGN FOR 8" TUBE. ADDED -043. | AJS | 13.06.11 |
| A | NEW ISSUE | AJS | 13.06.04 |
| REV. | DESCRIPTION | BY | DATE |
| DESIGN | AJS | DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA | |
| DRAWN | AJS | | |
| CHECKED | | DRAWING NO. REV. PC1 | |
| MFG. APPR. | | D4875 SHEET 1 OF 4 | |
| APPROVED | | TITLE SCALE | |
| DE APPR. | | CARGO TUBE BRACKET ASSY NTS | |
| DATE | 13.08.14 | COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD. | |



- NOTES:**
- 1) MATERIAL : 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR
PER QQ-A-225/8 OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR QQ-A-200/8 OR AMS-QQ-A-200/8 (OR AMS 4160)
OR ASTM B211 OR ASTM B221
REF DART SPEC M6061T6B
 - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: NONE
 - 7) WEIGHT: 0.59 lbs

| | | |
|------------|----------|--|
| DESIGN | AJS | DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA |
| DRAWN | AJS | |
| CHECKED | | DRAWING NO. REV. PC1 |
| MFG. APPR. | | D4875 SHEET 2 OF 4 |
| APPROVED | | TITLE SCALE |
| DE APPR. | | CARGO TUBE BRACKET ASSY NTS |
| DATE | 13.08.14 | COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD. |

